## NSN 5935-01-545-7898

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-545-7898 **Body Style:** Straight shape, round **Overall Diameter:** Between 2.647 inches and 2.656 inches **Threaded Device Type:** Back shell **Mating End Quantity: Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 and 70.0 and 130.0 Shell Type: Solid **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Contact Surface Treatment Specification:** Mil-g-45204, type ii, grade d, class 3 military specification single treatment response single mating end single contact grouping **Terminal Type:** Pin single mating end single contact grouping **Contact Material Specification:** Mil-c-14550, class 3 military specification single material response single mating end single contact grouping **Included Contact Quantity:** 56 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5935-01-545-7898

Electrical Receptacle Connector - Page 2 of 2



Fiig:

A039b0

Mil-std (military Standard):

Mil-c-14550 spec.