## NSN 5935-01-553-1238

Electrical Receptacle Connector - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5935-01-553-1238

Body Style: Straight shape threaded Overall Diameter: Between 1.485 inches and 1.561 inches Distance From Mounting Shoulder To Front Face: Between 0.761 inches and 0.781 inches Mounting Facility Thickness: Between 0.062 inches and 0.125 inches Mating End Quantity: 1 Connector Locking Method: Externally threaded shell Product Name: Connectors electrical, (circular environment resisting) Shelf Life: N/a Unit Of Measure:
Overall Diameter:  Between 1.485 inches and 1.561 inches  Distance From Mounting Shoulder To Front Face:  Between 0.761 inches and 0.781 inches  Mounting Facility Thickness:  Between 0.062 inches and 0.125 inches  Mating End Quantity:  1  Connector Locking Method:  Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Between 1.485 inches and 1.561 inches  Distance From Mounting Shoulder To Front Face:  Between 0.761 inches and 0.781 inches  Mounting Facility Thickness:  Between 0.062 inches and 0.125 inches  Mating End Quantity:  1  Connector Locking Method:  Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Distance From Mounting Shoulder To Front Face:  Between 0.761 inches and 0.781 inches  Mounting Facility Thickness:  Between 0.062 inches and 0.125 inches  Mating End Quantity:  1  Connector Locking Method:  Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Between 0.761 inches and 0.781 inches  Mounting Facility Thickness:  Between 0.062 inches and 0.125 inches  Mating End Quantity:  1  Connector Locking Method:  Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Mounting Facility Thickness:  Between 0.062 inches and 0.125 inches  Mating End Quantity:  1  Connector Locking Method:  Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Between 0.062 inches and 0.125 inches  Mating End Quantity:  1  Connector Locking Method:  Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Mating End Quantity:  1  Connector Locking Method:  Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Connector Locking Method:  Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Connector Locking Method:  Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Externally threaded shell  Product Name:  Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Product Name: Connectors electrical, (circular environment resisting) Shelf Life: N/a Unit Of Measure:
Connectors electrical, (circular environment resisting)  Shelf Life:  N/a  Unit Of Measure:
Shelf Life: N/a Unit Of Measure:
N/a Unit Of Measure:
Unit Of Measure:
B 1974
Demilitarization:
No
Fiig: