NSN 5935-01-562-0472

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-562-0472

Body Style:
Straight shape, external coupling
Overall Length:
33.7 millimeters
Overall Height:
23.8 millimeters
Overall Width:
23.8 millimeters
Center To Center Distance Between Mounting Facilities Parallel To Height:
18.3 millimeters
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
18.3 millimeters
Distance From Mounting Shoulder To Front Face:
19.5 millimeters
Mating End Quantity:
1
Contact Position Arrangement Style:
Sep-98 single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0 and 48.0 and 130.0 and 242.0 and 280.0
0.0 and 48.0 and 130.0 and 242.0 and 280.0 Shell Type:
Shell Type:
Shell Type: Solid
Shell Type: Solid Connector Locking Method:
Shell Type: Solid Connector Locking Method: Externally threaded shell
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location:
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location: Back single mating end single contact grouping
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location: Back single mating end single contact grouping Contact Surface Treatment:
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location: Back single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location: Back single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Terminal Type:
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location: Back single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location: Back single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material:
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location: Back single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Aluminum alloy
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location: Back single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Aluminum alloy Shell Surface Treatment:
Shell Type: Solid Connector Locking Method: Externally threaded shell Terminal Location: Back single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium

meradea contact Type

Round socket single mating end single contact grouping

NSN 5935-01-562-0472

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Location:
Contact surfaces gold
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0