Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-569-4442

Thread Class:
2a and 2a
Thread Direction:
Right-hand and right-hand
Body Style:
Straight shape, external coupling
Overall Length:
37.5 millimeters
Overall Height:
28.6 millimeters
Overall Width:
28.6 millimeters
Center To Center Distance Between Mounting Facilities Parallel To Height:
20.6 millimeters
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 20.6 millimeters and 23.0 millimeters
Distance From Mounting Shoulder To Front Face:
19.5 millimeters
Threaded Device Type:
Back shell and coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
20-2006-37 single mating end
Contact Removability:
Removable single mating end single contact grouping
Polarization Method:
Keyway or multiple keyway
Insert Position In Deg:
0.0 and 124.0 and 152.0 and 219.0 and 265.0
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Thread Size:
18.0 millimeters and 0.875 inches
Terminal Location:
Back single mating end single contact grouping
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Stainless steel

NSN 5935-01-569-4442

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:

Nickel

Included Contact Quantity:

4 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Thread Series Designator:

Iso m and special acme

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0