NSN 5935-01-585-2236

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-585-2236

| Thursday Oleses |
|---|
| Thread Class: |
| 2a and 2b |
| Thread Direction: |
| Right-hand and right-hand |
| Body Style: |
| Straight shape, internal coupling |
| Overall Length: |
| 33.2 millimeters |
| Overall Diameter: |
| 29.4 millimeters |
| Threaded Device Type: |
| Back shell and coupling facility |
| Mating End Quantity: |
| 1 |
| Contact Position Arrangement Style: |
| 13-4 single mating end |
| Contact Removability: |
| Removable single mating end single contact grouping |
| Polarization Method: |
| Key or multiple key |
| Insert Position In Deg: |
| 0.0 and 119.9 and 146.0 and 176.0 and 298.0 |
| |
| Shell Type: |
| Shell Type: Solid |
| |
| Solid |
| Solid Connector Locking Method: |
| Solid Connector Locking Method: Internally threaded coupling ring |
| Solid Connector Locking Method: Internally threaded coupling ring Thread Size: |
| Solid Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches |
| Solid Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: |
| Solid Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: Back single mating end single contact grouping |
| Solid Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: Back single mating end single contact grouping Terminal Type: |
| Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping |
| Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: |
| Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Aluminum alloy |
| Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Aluminum alloy Shell Surface Treatment: |
| Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium |
| Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium Thread Tolerance Class: |
| Solid Connector Locking Method: Internally threaded coupling ring Thread Size: 18.0 millimeters and 0.875 inches Terminal Location: Back single mating end single contact grouping Terminal Type: Crimp single mating end single contact grouping Shell Material: Aluminum alloy Shell Surface Treatment: Cadmium Thread Tolerance Class: 6g external |

Included Contact Type:

Round pin single mating end single contact grouping

NSN 5935-01-585-2236

Electrical Plug Connector - Page 2 of 2



| Precious | Mate | rial | ŀ |
|----------|------|------|---|
|----------|------|------|---|

Gold

Thread Series Designator:

Iso s and special acme

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A039b0