# NSN 5935-01-601-7429

Connector Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-601-7429

# Thread Class:

2a and 2a

## **Thread Direction:**

Right-hand and right-hand

# Body Style:

Straight shape, external coupling

#### **Overall Length:**

1.562 inches

#### **Overall Diameter:**

0.900 inches

## **Distance From Mounting Shoulder To Front Face:**

Between 0.858 inches and 0.868 inches

## **Mounting Facility Thickness:**

Between 0.055 inches and 0.285 inches

## Mating End Quantity:

2

# Contact Position Arrangement Style:

N all mating ends

# **Contact Maximum Frequency Rating:**

11.0 gigahertz all mating ends single contact grouping

## **Connector Locking Method:**

Externally threaded shell and externally threaded shell

# Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 all mating ends single contact grouping

End Application:

Receiver tran

# **Operating Tempurature Rating:**

Between -65.0 degrees celsius and 165.0 degrees celsius

## Thready Qty Per Inch (tpi):

24 and 24

Thread Size:

0.625 inches and 0.625 inches

## **Included Contact Quantity:**

1 all mating ends single contact grouping

## **Bushing Accommodation Hole Shape:**

Round w/double flat

## **Included Contact Type:**

Coaxial socket all mating ends single contact grouping

# **Thread Series Designator:**

Unef and unef

#### Shelf Life:

N/a

# NSN 5935-01-601-7429

Connector Adapter - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0

