## NSN 5935-01-608-3384

Body Style:
Right angle type
Overall Length:
2.650 inches
Overall Height:
0.550 inches

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-608-3384

Body Width:
0.250 inches
Body Height:
0.400 inches
Distance Between Mounting Facility Centers:
2.400 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Connector Locking Method:
Jackscrew-socket
End Application:
B-1
Operating Tempurature Rating:
Operating Tempurature Rating: Between -65.0 degrees celsius and 125.0 degrees celsius
Between -65.0 degrees celsius and 125.0 degrees celsius
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping  Contact Surface Treatment:
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping  Contact Surface Treatment:  Gold single mating end single contact grouping
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping  Contact Surface Treatment:  Gold single mating end single contact grouping  Terminal Type:
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping  Contact Surface Treatment:  Gold single mating end single contact grouping  Terminal Type:  Pin single mating end single contact grouping
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping  Contact Surface Treatment:  Gold single mating end single contact grouping  Terminal Type:  Pin single mating end single contact grouping  Shell Material:
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping  Contact Surface Treatment:  Gold single mating end single contact grouping  Terminal Type:  Pin single mating end single contact grouping  Shell Material:  Plastic polyphenylene sulfide
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping  Contact Surface Treatment:  Gold single mating end single contact grouping  Terminal Type:  Pin single mating end single contact grouping  Shell Material:  Plastic polyphenylene sulfide  Included Contact Quantity:
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping  Contact Surface Treatment:  Gold single mating end single contact grouping  Terminal Type:  Pin single mating end single contact grouping  Shell Material:  Plastic polyphenylene sulfide  Included Contact Quantity:  36 single mating end single contact grouping
Between -65.0 degrees celsius and 125.0 degrees celsius  Terminal Location:  Side single mating end single contact grouping  Contact Material:  Copper alloy single mating end single contact grouping  Contact Surface Treatment:  Gold single mating end single contact grouping  Terminal Type:  Pin single mating end single contact grouping  Shell Material:  Plastic polyphenylene sulfide  Included Contact Quantity:  36 single mating end single contact grouping  Included Contact Type:

## NSN 5935-01-608-3384

Electrical Receptacle Connector - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A039b0