NSN 5935-01-610-7043

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-610-7043 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape **Overall Length:** 1.425 inches **Terminal Length:** 0.109 inches single mating end single contact grouping **Overall Height:** 0.739 inches **Overall Width:** 0.390 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 3 rows of contacts non-inserted board single mating end **Polarization Method:** Mating end **Connector Locking Method:** Jackscrew-socket **End Application:** Ghawk asip **Features Provided:** Pre-tinned terminal Thready Qty Per Inch (tpi): 56 **Thread Size:** 0.086 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic polyphenylene sulfide and glass fiber single mating end **Terminal Type:**

Printed circuit single mating end single contact grouping

NSN 5935-01-610-7043

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium
Included Contact Quantity:
51 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Also has lead in the termination area along with tin.
Precious Material And Location:
Contact plating gold
Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0