NSN 5935-01-614-3219

Thread Class:

2b

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-614-3219

20
Thread Direction:
Right-hand
Body Style:
Rectangular shape, angle
Overall Length:
Between 2.714 inches and 2.744 inches
Overall Height:
Between 0.479 inches and 0.509 inches
Overall Width:
Between 0.751 inches and 0.811 inches
Distance Between Mounting Facility Centers:
Between 2.495 inches and 2.505 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
37 single mating end
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
Mating end
Mating end Connector Locking Method:
-
Connector Locking Method:
Connector Locking Method: Internally threaded coupling nut
Connector Locking Method: Internally threaded coupling nut End Application:
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi):
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size:
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location:
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Contact Material:
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment:
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Terminal Type:
Connector Locking Method: Internally threaded coupling nut End Application: Ghawk asip Thready Qty Per Inch (tpi): 40 Thread Size: 0.112 inches Terminal Location: Back single mating end single contact grouping Contact Material: Copper alloy single mating end single contact grouping Contact Surface Treatment: Gold single mating end single contact grouping Terminal Type: Printed circuit single mating end single contact grouping

NSN 5935-01-614-3219

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantit	ty:
--------------------------	-----

37 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Precious Material And Location:

Contact plating gold

Thread Series Designator:

Unc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0