NSN 5935-01-616-5928

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-616-5928

Thread Class:

2b and 2a

Thread Direction:

Right-hand and right-hand

Body Style:

Straight shape, internal coupling

Overall Length:

1.234 inches

Overall Diameter:

1.890 inches

Environmental Protection:

Moisture resistant and corrosion resistant

Threaded Device Type:

Coupling facility and back shell

Mating End Quantity:

1

Contact Position Arrangement Style:

"18-8, 22-404" single mating end

Polarization Method:

Key or multiple key

Insert Position In Deg:

0.0 and 80.0 and 142.0 and 196.0 and 293.0

Connector Locking Method:

Internally threaded coupling ring

Operating Tempurature Rating:

Between -65.0 degrees celsius and 200.0 degrees celsius

Features Provided:

Color band engagement indicator and self-locking coupling nut

Thread Size:

1.625 inches and 37.0 millimeters

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Terminal Type:

Crimp single mating end single contact grouping

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

NSN 5935-01-616-5928Electrical Plug Connector - Page 2 of 2



Inread Tolerance Class:	
6g external	
Included Contact Quantity:	
8 single mating end single contact grouping	
Included Contact Type:	
Coaxial socket single mating end single contact grouping	
Special Features:	
The contacts are quadrax type. The connector has emi shielding and is environmentally sealed.	
Color:	
Olive drab	
Precious Material And Location:	
Contact plating gold	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
No	
Fiig:	
A039b0	