NSN 5935-01-618-0226

Electrical Receptacle Connector - Page 1 of 2



Lieutical Neceptacle Connector - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/5935-01-618-0226	
Body Style:	
Straight shape duplex	
Overall Height:	
1.09 inches	
Overall Width:	
1.33 inches	
Body Length:	
2.78 inches	
Distance Between Mounting Facility Centers:	
3.28 inches	
Mating End Quantity:	
2	
Contact Position Arrangement Style:	
"3, 5-15" all mating ends	
Contact Maximum Current Rating In Amps:	
15.0 all mating ends all contact groupings	
Contact Maximum Ac Voltage Rating In Volts:	
125.0 all mating ends all contact groupings	
Polarization Method:	
Mating end	
Connector Locking Method:	
Friction	
End Application:	
5895-01-549-4234	
Operating Tempurature Rating:	
Between -40.0 degrees celsius and 60.0 degrees celsius	
Features Provided:	
Grounded contact	
Terminal Location:	
Side all mating ends all contact groupings	
Contact Material:	
Copper alloy all mating ends all contact groupings	
Terminal Type:	

Screw all mating ends all contact groupings

Shell Material:

Plastic polyamide

Included Contact Quantity:

3 all mating ends all contact groupings

Included Contact Type:

Flat socket all mating ends 2nd contact grouping

Color:

Gray

NSN 5935-01-618-0226

Electrical Receptacle Connector - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0