

View Online at <https://aerobasegroup.com/nsn/5935-01-618-7694>

**Thread Direction:**

Right-hand

**Body Style:**

Straight shape w/flange

**Overall Length:**

1.500 inches

**Overall Height:**

1.000 inches

**Overall Width:**

1.000 inches

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

0.718 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.718 inches

**Distance From Mounting Shoulder To Front Face:**

0.900 inches

**Mounting Facility Thickness:**

0.060 inches

**Threaded Device Type:**

Coupling facility

**Mating End Quantity:**

2

**Contact Position Arrangement Style:**

Sma 1st mating end

**Contact Removability:**

Nonremovable all mating ends all contact groupings

**Contact Maximum Frequency Rating:**

18.0 gigahertz all mating ends all contact groupings

**Shell Type:**

Solid

**Connector Locking Method:**

Externally threaded shell

**End Application:**

Interface unit

**Thready Qty Per Inch (tpi):**

36 and 24

**Thread Size:**

0.250 inches and 0.625 inches

**Contact Material:**

Copper alloy all mating ends all contact groupings

**Contact Surface Treatment:**

Gold all mating ends all contact groupings

**Shell Material:**

Stainless steel

**Included Contact Quantity:**

2 all mating ends all contact groupings

**Included Contact Type:**

Coaxial pin all mating ends all contact groupings

**Product Name:**

Adapter, connector

**Precious Material And Location:**

Center contact plating gold

**Precious Material:**

Gold

**Specification Data:**

Mil-std-348 government standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A039b0

**Mil-std (military Standard):**

Mil-std-348 spec.