NSN 5935-01-620-1245

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-620-1245

Body Style:

Rectangular shape

Overall Length:

2.205 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.865 inches

Overall Height:

0.410 inches

Overall Width:

0.275 inches

Unthreaded Mounting Hole Diameter:

0.100 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

3 rows of contacts non-inserted board single mating end

Contact Removability:

Removable single mating end single contact grouping

Contact Maximum Current Rating In Amps:

3.0 single mating end single contact grouping

Shell Type:

Solid

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy 172 or copper alloy 360 single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Insert Material:

Plastic polyphenylene sulfide and glass single mating end

Contact Surface Treatment Specification:

Mil-g-45204 military specification single treatment response or mil-c-55302 military specification single treatment response single mating end single contact grouping

Terminal Type:

Crimp single mating end single contact grouping

Contact Material Specification:

Astm b194 assn standard single material response or astm b197 assn standard single material response or astm b16 assn standard single material response or astm b134 assn standard single material response single mating end single contact grouping

Insert Material Specification:

Mil-m-24519, type gst-40f military specification single material response single mating end

Included Contact Quantity:

59 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

NSN 5935-01-620-1245

Electrical Receptacle Connector - Page 2 of 2



Mil-std (military Standard):

Mil-g-45204 spec.