NSN 5935-01-622-7491



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-622-7491 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 2.031 inches **Overall Height:** 1.281 inches **Overall Width:** 1.281 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 0.569 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.569 inches **Distance From Mounting Shoulder To Front Face:** 0.562 inches **Threaded Device Type:** Back shell and coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 16s-8 single mating end **Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Key or multiple key **Insert Position In Deg:** 0.0 Shell Type: **Connector Locking Method:** Externally threaded shell **End Application:** B-52 Thready Qty Per Inch (tpi): 20 and 20

Thread Size:

1.000 inches and 1.000 inches

Terminal Location:

Back single mating end single contact grouping

NSN 5935-01-622-7491

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Iron alloy
Shell Surface Treatment:
Cadmium
Included Contact Quantity:
5 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Special Features:
Contacts m39029/30-217
Precious Material And Location:
Contact surface gold
Precious Material:
Gold
Thread Series Designator:
Unef and unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-dtl-5015 spec.