NSN 5935-01-622-8470



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-622-8470 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 2.125 inches **Overall Height:** 1.375 inches **Overall Width:** 1.375 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.062 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.062 inches **Distance From Mounting Shoulder To Front Face:** 0.750 inches **Threaded Device Type:** Back shell and coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 18-8 single mating end **Contact Removability:** Removable single mating end all contact groupings **Polarization Method:** Key or multiple key **Insert Position In Deg:** 0.0 Shell Type: **Connector Locking Method:** Externally threaded shell **End Application:** B52 Thready Qty Per Inch (tpi): 18 and 18

Thread Size:

1.063 inches and 1.123 inches

Terminal Location:

Back single mating end all contact groupings

NSN 5935-01-622-8470

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Crimp single mating end all contact groupings
Shell Material:
Iron alloy
Shell Surface Treatment:
Cadmium
Included Contact Quantity:
7 single mating end 1st contact grouping
Included Contact Type:
Round socket single mating end all contact groupings
Special Features:
Contacts per m39029/30-218 and -219
Precious Material:
Gold and silver
Thread Series Designator:
Unef and unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-dtl-5015 spec.