NSN 5935-01-623-9033

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-623-9033

Body Style:

Straight shape, flange mount, external coupling

Overall Length:

2.638 inches

Overall Height:

Between 1.740 inches and 1.764 inches

Overall Width:

Between 1.740 inches and 1.764 inches

Environmental Protection:

Vibration proof

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 1.370 inches and 1.378 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.370 inches and 1.378 inches

Distance From Mounting Shoulder To Front Face:

Between 0.907 inches and 0.923 inches

Threaded Device Type:

Mounting hole

Mating End Quantity:

via

Contact Position Arrangement Style:

24-12 single mating end

Polarization Method:

Key, multiple key groove

Insert Position In Deg:

0.0

Connector Locking Method:

Bayonet slot

End Application:

6625-01-585-5782

Terminal Location:

Back single mating end all contact groupings

Contact Material:

Copper alloy single mating end all contact groupings

Contact Surface Treatment:

Silver single mating end all contact groupings

Insert Material:

Plastic single mating end

Terminal Type:

Crimp single mating end all contact groupings

Shell Material:

Aluminum alloy

NSN 5935-01-623-9033

Electrical Receptacle Connector - Page 2 of 2



Shell Surface Treatment:
Cadmium and chromate
Included Contact Quantity:
5 single mating end all contact groupings
Included Contact Type:
Round pin single mating end all contact groupings
Special Features:
The insert material is polychloroprene.
Color:
Olive drab
Precious Material And Location:
Contact plating silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0