

View Online at <https://aerobasegroup.com/nsn/5935-01-625-3955>

Body Style:

Straight shape duplex

Mating End Quantity:

2

Contact Position Arrangement Style:

"3, 5-15" all mating ends

Contact Maximum Current Rating In Amps:

15.0 all mating ends all contact groupings

Contact Maximum Ac Voltage Rating In Volts:

125.0 all mating ends all contact groupings

Polarization Method:

Contact

Connector Locking Method:

Friction

End Application:

Boat, rigid i

Operating Temperature Rating:

Between -35.0 degrees celsius and 66.0 degrees celsius

Features Provided:

Grounded contact and w/circuit protection device

Terminal Location:

Back and side all mating ends all contact groupings

Contact Material:

Copper alloy all mating ends all contact groupings

Terminal Type:

Screw w/wire lock all mating ends all contact groupings

Shell Material:

Plastic polypropylene and plastic polycarbonate

Included Contact Quantity:

3 all mating ends all contact groupings

Included Contact Type:

Flat socket all mating ends 2nd contact grouping

Product Name:

Outdoor gfci receptacle

Special Features:

The trip level is 5ma plus or minus 1ma.

Color:

Black

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A039b0