NSN 5935-01-628-5847



Electrical Receptacle Connector - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-01-628-5847 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 2.500 inches **Overall Diameter:** 2.866 inches **Unthreaded Mounting Hole Diameter:** 2.005 inches **Distance From Mounting Shoulder To Front Face:** 0.970 inches **Mounting Facility Thickness:** 0.128 inches **Threaded Device Type:** Back shell and coupling facility **Mating End Quantity: Contact Position Arrangement Style:** 32-15 single mating end **Contact Removability:** Removable single mating end all contact groupings **Polarization Method:** Key or multiple key **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Externally threaded shell **End Application:** 2320-01-437-6957 Thready Qty Per Inch (tpi):

18 and 18

Thread Size:

2.000 inches and 2.000 inches

Terminal Location:

Back single mating end all contact groupings

Terminal Type:

Crimp single mating end all contact groupings

NSN 5935-01-628-5847

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Cadmium
Shell Surface Treatment:
Nickel
Included Contact Quantity:
6 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Special Features:
Contacts per m39029/29-213 and -216
Color:
Olive drab
Precious Material And Location:
Contact surface silver
Precious Material:
Silver
Thread Series Designator:
Uns and uns
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A039b0
Mil-std (military Standard):
Mil-dtl-5015 spec.