## NSN 5935-01-630-7367

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-630-7367

**Thread Class:** 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling **Overall Length:** 1.290 inches **Overall Height:** 1.823 inches **Overall Width:** 1.823 inches Center To Center Distance Between Mounting Facilities Parallel To Height: Between 1.375 inches and 1.500 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: Between 1.375 inches and 1.500 inches **Distance From Mounting Shoulder To Front Face:** Between 0.785 inches and 0.790 inches **Threaded Device Type:** Coupling facility and back shell **Mating End Quantity:** 1 **Contact Position Arrangement Style:** 25-19 single mating end **Contact Removability:** Removable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 and 80.0 and 142.0 and 196.0 and 293.0 **Connector Locking Method:** Externally threaded shell **Features Provided:** Color band engagement indicator **Thread Size:** 1.625 inches and 37.0 millimeters **Terminal Location:** Back single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping

Terminal Type:

Crimp single mating end single contact grouping

## NSN 5935-01-630-7367

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Aluminum
Shell Surface Treatment:
Cadmium
Thread Tolerance Class:
6g external
Included Contact Quantity:
19 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Color:
Olive drab
Precious Material And Location:
Contact plating gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0