NSN 5935-01-646-2730

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-646-2730

Body Style:

Straight shape w/flange w/cover

Overall Length:

3.40 inches

Bushing Diameter:

2.46 inches

Distance Between Mounting Facility Centers:

2.41 inches

Distance From Mounting Shoulder To Rear Face:

2.36 inches

Mating End Quantity:

Contact Position Arrangement Style:

L5-30 single mating end

Contact Maximum Current Rating In Amps:

30.0 single mating end single contact grouping

Contact Maximum Ac Voltage Rating In Volts:

125.0 single mating end single contact grouping

Polarization Method:

Contact

Connector Locking Method:

Contact twistlock

End Application:

Boatalt 35wb/

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Nickel single mating end single contact grouping

Terminal Type:

Screw single mating end single contact grouping

Shell Material:

Plastic polyester and plastic polyamide

Included Contact Quantity:

3 single mating end single contact grouping

Included Contact Type:

Curved pin w/inside lip single mating end 1st contact grouping

Special Features:

Cage 1gfc6 is type f but they hold design control on p/n

Color:

White

NSN 5935-01-646-2730

Electrical Receptacle Connector - Page 2 of 2



_					
C.	~~	14	I i	ife:	
J.	16			HE.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0