Electrical Plug Connector - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5935-01-649-0318

# Thread Class:

2b

Thread Direction:

Right-hand and right-hand

### Body Style:

Straight shape, internal coupling

#### Overall Length:

33.2 millimeters

#### **Overall Diameter:**

38.5 millimeters

#### Threaded Device Type:

Back shell and coupling facility

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

19-11 single mating end

### **Contact Removability:**

Removable single mating end single contact grouping

### Polarization Method:

Key or multiple key

### **Insert Position In Deg:**

0.0 and 66.0 and 140.0 and 200.0 and 257.0

### Shell Type:

Solid

# **Connector Locking Method:**

Internally threaded coupling ring

### End Application:

Panel, vent c

# **Operating Tempurature Rating:**

Between -65.0 degrees celsius and 175.0 degrees celsius

# Thread Size:

28.0 millimeters and 1.250 inches

# **Terminal Location:**

Back single mating end single contact grouping

# **Terminal Type:**

Crimp single mating end single contact grouping

# Shell Material:

Aluminum alloy

# Shell Surface Treatment:

Cadmium

# Thread Tolerance Class:

6g external

NSN 5935-01-649-0318

Electrical Plug Connector - Page 2 of 2



#### **Included Contact Quantity:**

11 single mating end single contact grouping

#### Included Contact Type:

Round pin single mating end single contact grouping

### **Special Features:**

Contacts per m39029/58-364

**Precious Material And Location:** 

Contact surface gold

### **Precious Material:**

Gold

#### **Test Data Document:**

81349-mil-dtl-38999 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Thread Series Designator:**

Iso m and special acme

#### **Specification Data:**

81349-mil-dtl-38999/26 government specification

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

Fiig:

A039b0