## NSN 5935-01-650-3809

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-650-3809

**Thread Class:** 

2a

**Thread Direction:** 

Right-hand and right-hand

**Body Style:** 

Straight shape, external coupling

**Overall Length:** 

1.240 inches

**Overall Height:** 

Between 1.799 inches and 1.823 inches

**Overall Width:** 

Between 1.799 inches and 1.823 inches

**Unthreaded Mounting Hole Diameter:** 

Between 0.146 inches and 0.162 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.500 inches

**Distance From Mounting Shoulder To Front Face:** 

Between 0.736 inches and 0.791 inches

**Threaded Device Type:** 

Back shell and coupling facility

**Mating End Quantity:** 

1

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0 and 135.0 and 170.0 and 200.0 and 310.0

**Connector Locking Method:** 

Externally threaded shell

**Features Provided:** 

Color band engagement indicator

Thread Size:

1.625 inches and 37.0 millimeters

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

## NSN 5935-01-650-3809

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Plastic
Thread Tolerance Class:
6g external
Included Contact Quantity:
29 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact plating gold
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:

A039b0