## NSN 5935-01-652-2176

Connector Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-652-2176

**Thread Class:** 2a and 2b **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external/internal coupling **Overall Length:** 29.35 millimeters **Overall Diameter:** 14.50 millimeters **Mating End Quantity: Contact Position Arrangement Style:** Tnc 2nd mating end **Contact Maximum Frequency Rating:** 4.0 gigahertz all mating ends single contact grouping **Connector Locking Method:** Externally threaded shell and internally threaded coupling ring Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 all mating ends single contact grouping **Operating Tempurature Rating:** Between -40.0 degrees celsius and 85.0 degrees celsius **Features Provided:** Rohs directive compliance Thready Qty Per Inch (tpi): 36 and 28 **Thread Size:** 0.250 inches and 0.438 inches **Contact Material:** Copper alloy all mating ends single contact grouping **Contact Surface Treatment:** Gold all mating ends single contact grouping **Insert Material:** Plastic all mating ends **Shell Material:** Copper alloy **Shell Surface Treatment:** Nickel **Included Contact Quantity:** 

1 all mating ends single contact grouping

**Included Contact Type:** 

Coaxial socket 1st mating end single contact grouping

## NSN 5935-01-652-2176

Connector Adapter - Page 2 of 2



Precious	Material	And	Locati	on:

Contact plating gold

**Thread Series Designator:** 

Uns and unef

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0