

View Online at <https://aerobasegroup.com/nsn/5935-01-653-6381>

**Body Style:**

Straight shape

**Overall Length:**

1.625 inches

**Overall Height:**

0.880 inches

**Overall Width:**

Between 0.552 inches and 0.572 inches

**Distance Between Mounting Facility Centers:**

Between 1.615 inches and 1.635 inches

**Distance From Mounting Shoulder To Front Face:**

Between 0.365 inches and 0.375 inches

**Distance From Mounting Shoulder To Rear Face:**

Between 0.505 inches and 0.515 inches

**Mating End Quantity:**

1

**Contact Position Arrangement Style:**

26 single mating end

**Contact Removability:**

Removable single mating end single contact grouping

**Polarization Method:**

Shell

**Shell Type:**

Solid

**Connector Locking Method:**

Jackscrew

**Distance From Centerline To Connector End:**

Between 0.276 inches and 0.286 inches

**Terminal Location:**

Back single mating end single contact grouping

**Terminal Type:**

Crimp single mating end single contact grouping

**Shell Material:**

Aluminum alloy

**Shell Surface Treatment:**

Anodize

**Shell Guide Type And Location Designator:**

A slot

**Included Contact Quantity:**

26 single mating end single contact grouping

**Included Contact Type:**

Round socket single mating end single contact grouping

**Product Name:**

Connector, receptacle

**Precious Material And Location:**

Contact surface gold

**Precious Material:**

Gold

**Test Data Document:**

81349--28748/4 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:**

81349--28748/4 government specification

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0