

View Online at <https://aerobasegroup.com/nsn/5935-01-653-6446>

Thread Class:

2a and 2a and 2a

Thread Direction:

Right-hand and right-hand and left-hand

Body Style:

Straight shape, external coupling

Overall Length:

2.003 inches

Overall Diameter:

2.250 inches

Distance From Mounting Shoulder To Front Face:

1.156 inches

Mounting Facility Thickness:

Between 0.094 inches and 0.203 inches

Threaded Device Type:

Coupling facility and hub and back shell

Mating End Quantity:

1

Contact Position Arrangement Style:

20-33 single mating end

Contact Removability:

Removable single mating end single contact grouping

Polarization Method:

Keyway or multiple keyway

Insert Position In Deg:

0.0

Connector Locking Method:

Externally threaded shell

End Application:

1430-01-087-6330

Thready Qty Per Inch (tpi):

0.1 and 18 and 18

Thread Size:

1.375 inches and 1.250 inches and 1.500 inches

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Copper single mating end single contact grouping

Contact Surface Treatment:

Silver single mating end single contact grouping

Terminal Type:

Solder well single mating end single contact grouping

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Nickel and cadmium

Included Contact Quantity:

11 single mating end single contact grouping

Included Contact Type:

Round socket single mating end single contact grouping

Product Name:

Connector, receptacle, electrical jam nut

Precious Material And Location:

Contact surface silver

Precious Material:

Silver

Thread Series Designator:

Double stub and unef and unef

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0