## NSN 5935-01-654-9383

Electrical Bulkhead Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-654-9383 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape, round **Overall Length:** 26.70 millimeters **Overall Diameter:** 15.88 millimeters **Threaded Device Type:** Mounting bushing **Mating End Quantity: Contact Position Arrangement Style:** Bnc single mating end **Connector Locking Method:** Bayonet pin Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping **End Application:** Consol gse Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.50 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold and nickel and copper single mating end single contact grouping **Insert Material:** Plastic polytetrafluoroethylene single mating end **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** 

Nickel

**Included Contact Quantity:** 

1 single mating end single contact grouping

## NSN 5935-01-654-9383

Electrical Bulkhead Connector - Page 2 of 2



Bushing Accommodation Hole Shape:
Round w/flat
Included Contact Type:
Round pin single mating end single contact grouping
Special Features:
The panel thickness is 2.5mm.
Precious Material And Location:
Contact plating gold
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0