## NSN 5940-00-177-6767

Stud Terminal - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5940-00-177-6767

| view Online at https://aerobasegroup.com/hsn/5940-00-177-6767                               |
|---|
| Terminal Length:  |
| 0.130 inches  |
| Width Across Flats:   |
| 0.125 inches  |
| Overall Height:   |
| 0.540 inches  |
| Thru-hole Diameter:   |
| 0.040 inches  |
| Largest Diameter:   |
| 0.082 inches single end   |
| Turret Minor Diameter:  |
| 0.046 inches single end   |
| Electrical Insulation Feature:  |
| Standoff insulation   |
| Mounting Method Style:  |
| Stud  |
| Mounting Thread Diameter:   |
| 0.086 inches  |
| Identification Code Color:  |
| Black   |
| Thread Length:  |
| 0.125 inches  |
| Basic Shape Style:  |
| Nontubular, hex   |
| Mounting Thread Series:   |
| Unc   |
| Conductor Accommodation Type:   |
| Single turret single end  |
| Material:   |
| Copper alloy except insulation  |
| Material Specification:   |
| Qq-b-626, alloy 360, 1/2 h federal specification single material response except insulation |
| Precious Material And Location:   |
| Terminal outside finish gold and terminal inside finish silver                              |
| Precious Material And Weight:   |
| 0.040 silver grains, troy and 0.040 gold grains, troy                                       |
| Precious Material:  |
| Gold and silver   |
| Surface Treatment:  |
| Nickel mounting facility single layer   |
| Surface Treatment Specification:  |

Qq-s-365 federal specification 1st treatment response conductor accommodation first layer or mil-f-14072 military specification 1st treatment response conductor accommodation first layer

## NSN 5940-00-177-6767

Stud Terminal - Page 2 of 2



| N/a               |
|-------------------|
| Unit Of Measure:  |
|                   |
| Demilitarization: |
| No                |
| Fiig:             |
| A006b0            |

Mil-std (military Standard):

Mil-g-45204 spec.

Shelf Life: