# NSN 5940-00-186-2530

Terminal Board - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5940-00-186-2530

Mounting Hole Diameter:
-
0.160 inches
Dielectric Withstanding Voltage In Volts:
1100.0
Body Style:
Barrier type
Terminal Row Quantity:
2
Center To Center Distance Between Terminals:
0.375 inches
Distance Between Terminal Row Centers:
0.312 inches
Board Construction:
Solid construction
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.625 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.312 inches
Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:
0.281 inches
Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:
0.141 inches
Boardlength:
2.875 inches
Boardwidth:
0.875 inches
Boardheight:
0.406 inches
Board Height Excluding Terminals:
0.406 inches
Base Thickness:
0.250 inches
Current Rating In Amps:
15.0
Mounting Facility Type And Quantity:
4 unthreaded hole
Terminal Connecting Link Quantity:
6 single
Nonfeedthru Terminal Type:
857 single
Terminal Connecting Link Type:
2 single

## NSN 5940-00-186-2530

Terminal Board - Page 2 of 2



Nonfeedthru Terminal Quantity:

6 single

**Terminal Pattern Arrangement:** 

Multi-row

**Terminal Design:** 

Linked nonfeedthru

Material:

Plastic phenolic board

#### Surface Treatment:

Nickel terminals

Shelf Life:

N/a

### Unit Of Measure:

---

#### Demilitarization:

No

### Fiig:

A011b0