# NSN 5940-00-239-6567

Terminal Board - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5940-00-239-6567

Μοι	unting Hole Diameter:
	)9 inches
Diel	ectric Withstanding Voltage In Volts:
1.6	
Bod	ly Style:
	ier type
	minal Row Quantity:
2	
Cen	ter To Center Distance Between Terminals:
0.56	32 inches
Dist	ance Between Terminal Row Centers:
0.50	00 inches
Boa	rd Construction:
Soli	d construction
Cen	ter To Center Distance Between Mounting Facilities Parallel To Length:
2.18	38 inches
Cen	ter To Center Distance Between Mounting Facilities Parallel To Width:
0.50	00 inches
Dist	ance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:
0.28	36 inches
Dist	ance From Left Edge Of Terminal Board To Center Of First Mounting Facility:
0.20	03 inches
Boa	Irdlength:
3.21	9 inches
Boa	rdwidth:
1.31	2 inches
Boa	Irdheight:
0.62	25 inches
Boa	rd Height Excluding Terminals:
0.62	25 inches
Bas	e Thickness:
0.37	75 inches
Cur	rent Rating In Amps:
30.0	)
Μοι	Inting Facility Type And Quantity:
4 ur	threaded hole
Teri	minal Connecting Link Quantity:
4 sir	ngle
Non	feedthru Terminal Type:
23 s	single
Teri	ninal Connecting Link Type:
2 sir	ngle

## NSN 5940-00-239-6567

Terminal Board - Page 2 of 2



Nonfeedthru Terminal Quantity:

4 single

**Terminal Pattern Arrangement:** 

Multi-row

**Terminal Design:** 

Linked nonfeedthru

Material:

Plastic board

#### Surface Treatment:

Solder terminals

Shelf Life:

N/a

### Unit Of Measure:

---

#### Demilitarization:

No

### Fiig:

A011b0