NSN 5940-00-259-4883

Terminal Board - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5940-00-259-4883

| Mounting Hole Diameter: |
|---|
| 0.175 inches |
| Body Style: |
| Barrier type |
| Terminal Row Quantity: |
| 1 |
| Center To Center Distance Between Terminals: |
| 0.438 inches |
| Board Construction: |
| Solid construction |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.062 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 0.422 inches |
| Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: |
| 0.226 inches |
| Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: |
| 0.156 inches |
| Boardlength: |
| 3.375 inches |
| Boardwidth: |
| 0.875 inches |
| Boardheight: |
| 0.875 inches |
| Board Height Excluding Terminals: |
| 0.500 inches |
| Base Thickness: |
| 0.312 inches |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Feedthru Connection End Type: |
| 858 fourth combination both ends |
| Feedthru Terminal Quantity: |
| 6 single combination |
| Terminal Pattern Arrangement: |
| Single row |
| Terminal Design: |
| Feedthru |
| Material: |
| Plastic diallyl phthalate board and glass fiber board and plastic board |
| Material Specification: |
| Mil-p-19833 military specification 1st material response board and mil-p-19833 military specification 2nd material response board |

NSN 5940-00-259-4883

Terminal Board - Page 2 of 2



| Surface Treatment: |
|--------------------|
| Tin terminals |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| |
| Fiig: |

Mil-std (military Standard):

Mil-p-19833 spec.