NSN 5940-00-583-9003

Feedthru Terminal - Page 1 of 2

No



View Online at https://aerobasegroup.com/nsn/5940-00-583-9003

| 0.617 inches Overall Diameter: 0.180 inches Largest Diameter: 0.030 inches single end Electrical Insulation Feature: Insulating mounting bushing Mounting Method Style: Press fit Minor Bushing Diameter: 0.035 inches |
|--|
| 0.180 inches Largest Diameter: 0.030 inches single end Electrical Insulation Feature: Insulating mounting bushing Mounting Method Style: Press fit Minor Bushing Diameter: |
| Largest Diameter: 0.030 inches single end Electrical Insulation Feature: Insulating mounting bushing Mounting Method Style: Press fit Minor Bushing Diameter: |
| 0.030 inches single end Electrical Insulation Feature: Insulating mounting bushing Mounting Method Style: Press fit Minor Bushing Diameter: |
| Electrical Insulation Feature: Insulating mounting bushing Mounting Method Style: Press fit Minor Bushing Diameter: |
| nsulating mounting bushing Mounting Method Style: Press fit Minor Bushing Diameter: |
| Mounting Method Style: Press fit Minor Bushing Diameter: |
| Press fit Minor Bushing Diameter: |
| Minor Bushing Diameter: |
| |
| 0.035 inches |
| |
| Major Bushing Diameter: |
| 0.180 inches |
| Minor Bushing Length: |
| 0.064 inches |
| Major Bushing Length: |
| 0.030 inches |
| Identification Code Color: |
| White |
| Basic Shape Style: |
| Nontubular round |
| Features Provided: |
| Electrode hermetic seal |
| Conductor Accommodation Type: |
| Pin all ends |
| First End Terminal Length: |
| 0.250 inches |
| Second End Terminal Length: |
| 0.250 inches |
| Material: |
| Steel mounting facility |
| Surface Treatment: |
| Tin except insulation single layer |
| Surface Treatment Specification: |
| Mil-t-10727, type 2 military specification single treatment response except insulation single layer |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| emilitarization: |

NSN 5940-00-583-9003

Feedthru Terminal - Page 2 of 2

Fiig: A006b0 Mil-std (military Standard): Mil-t-10727 spec.

