## NSN 5940-00-666-4423

Electrical Binding Post - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5940-00-666-4423

Overall Height:
1.406 inches
Overall Diameter:
0.515 inches
Maximum Height Above Mounting Surface:
0.953 inches
Electrical Insulation Feature:
Insulated caps with uninsulated studs
Mounting Method Style:
Stud
Mounting Thread Diameter:
0.164 inches
Identification Code Color:
Black
Thread Length:
0.625 inches
Basic Shape Style:
Single post, round (post binding)
Mounting Thread Series:
Unc
Mounting Thread Quantity:
Mounting Thread Quantity:  32 per inch
32 per inch
32 per inch  Conductor Accommodation Type:
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:  0.515 inches
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:  0.515 inches  Special Features:
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:  0.515 inches  Special Features:  Grip aid cap
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:  0.515 inches  Special Features:  Grip aid cap  Material:
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:  0.515 inches  Special Features:  Grip aid cap  Material:  Copper alloy conductor accommodation
32 per inch  Conductor Accommodation Type: Screw cap w/slot single end  Cap Outside Diameter: 0.515 inches  Special Features: Grip aid cap  Material: Copper alloy conductor accommodation  Material Specification:
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:  0.515 inches  Special Features:  Grip aid cap  Material:  Copper alloy conductor accommodation  Material Specification:  Qq-b-626, 1/2h federal specification single material response mounting facility
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:  0.515 inches  Special Features:  Grip aid cap  Material:  Copper alloy conductor accommodation  Material Specification:  Qq-b-626, 1/2h federal specification single material response mounting facility  Shelf Life:
32 per inch  Conductor Accommodation Type: Screw cap w/slot single end  Cap Outside Diameter: 0.515 inches  Special Features: Grip aid cap  Material: Copper alloy conductor accommodation  Material Specification: Qq-b-626, 1/2h federal specification single material response mounting facility  Shelf Life: N/a
32 per inch  Conductor Accommodation Type: Screw cap w/slot single end  Cap Outside Diameter: 0.515 inches  Special Features: Grip aid cap  Material: Copper alloy conductor accommodation  Material Specification: Qq-b-626, 1/2h federal specification single material response mounting facility  Shelf Life: N/a
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:  0.515 inches  Special Features:  Grip aid cap  Material:  Copper alloy conductor accommodation  Material Specification:  Qq-b-626, 1/2h federal specification single material response mounting facility  Shelf Life:  N/a  Unit Of Measure:
32 per inch  Conductor Accommodation Type:  Screw cap w/slot single end  Cap Outside Diameter:  0.515 inches  Special Features:  Grip aid cap  Material:  Copper alloy conductor accommodation  Material Specification:  Qq-b-626, 1/2h federal specification single material response mounting facility  Shelf Life:  N/a  Unit Of Measure:   Demilitarization: