

View Online at <https://aerobasegroup.com/nsn/5940-00-792-3775>

Dielectric Withstanding Voltage In Volts:

0.6

Body Style:

Barrier type

Terminal Row Quantity:

1

Center To Center Distance Between Terminals:

0.594 inches

Board Construction:

Hollow construction without insulated strip

Center To Center Distance Between Mounting Facilities Parallel To Length:

6.875 inches

Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:

0.531 inches

Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:

0.250 inches

Boardlength:

7.375 inches

Boardwidth:

1.062 inches

Boardheight:

0.938 inches

Board Height Excluding Terminals:

0.875 inches

Base Thickness:

0.500 inches

Mounting Facility Type And Quantity:

2 slot

Nonfeedthru Terminal Type:

597 single

Nonfeedthru Terminal Quantity:

10 single

Terminal Pattern Arrangement:

Single row

Terminal Design:

Nonfeedthru

Special Features:

Mtg hole for no. 10 screw; 10 no. 8-32 nc-2b stud nuts inserts furnished

Material:

Plastic polyester board and glass fiber board

Material Specification:

Mil-m-14 military specification all material responses board

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A011b0

Mil-std (military Standard):

Mil-m-14 spec.