NSN 5940-00-820-5982

Terminal Board - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5940-00-820-5982

| Mounting Hole Diameter: |
|---------------------------------------------------------------------------------|
| 0.178 inches |
| Dielectric Withstanding Voltage In Volts: |
| 8.4 |
| Terminal Row Quantity: |
| 2 |
| Center To Center Distance Between Terminals: |
| 0.438 inches |
| Distance Between Terminal Row Centers: |
| 0.422 inches |
| Board Construction: |
| Solid construction |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.625 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 0.422 inches |
| Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: |
| 0.789 inches |
| Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: |
| 0.156 inches |
| Boardlength: |
| 2.937 inches |
| Boardwidth: |
| 1.375 inches |
| Boardheight: |
| 0.688 inches |
| Board Height Excluding Terminals: |
| 0.688 inches |
| Base Thickness: |
| 0.375 inches |
| Current Rating In Amps: |
| 20.0 |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Terminal Connecting Link Quantity: |
| 5 single |
| Nonfeedthru Terminal Type: |
| 857 single |
| Terminal Connecting Link Type: |
| 1 single |
| Nonfeedthru Terminal Quantity: |
| 5 single |
| |

NSN 5940-00-820-5982

Terminal Board - Page 2 of 2



Terminal Pattern Arrangement: Multi-row **Terminal Design:** Linked nonfeedthru Material: Plastic board Surface Treatment: Nickel terminals Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A011b0