

View Online at <https://aerobasegroup.com/nsn/5940-01-030-9986>

Mounting Hole Diameter:

0.209 inches

Dielectric Withstanding Voltage In Volts:

3300.0

Body Style:

Barrier type

Terminal Row Quantity:

2

Center To Center Distance Between Terminals:

0.5625 inches

Distance Between Terminal Row Centers:

0.500 inches

Board Construction:

Solid construction

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.500 inches

Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:

0.8125 inches

Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:

0.296875 inches

Boardlength:

2.84375 inches

Boardwidth:

1.3125 inches

Boardheight:

0.65625 inches

Board Height Excluding Terminals:

0.65625 inches

Base Thickness:

0.40625 inches

Current Rating In Amps:

30.0

Mounting Facility Type And Quantity:

4 unthreaded hole

Nonfeedthru Terminal Type:

605 single

Nonfeedthru Terminal Quantity:

6 single

Terminal Pattern Arrangement:

Multi-row

Terminal Design:

Nonfeedthru

Material:

Plastic phenolic board

Surface Treatment:

Nickel terminals

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A011b0