

View Online at <https://aerobasegroup.com/nsn/5940-01-031-6354>

Dielectric Withstanding Voltage In Volts:

600.0

Body Style:

Barrier type

Terminal Row Quantity:

2

Center To Center Distance Between Terminals:

0.437 inches

Distance Between Terminal Row Centers:

0.812 inches

Board Construction:

Constructed of interlocking pieces

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.062 inches

Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:

0.375 inches

Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:

0.250 inches

Boardlength:

4.125 inches

Boardwidth:

1.750 inches

Boardheight:

1.406 inches

Board Height Excluding Terminals:

1.406 inches

Base Thickness:

0.625 inches

Mounting Facility Type And Quantity:

4 threaded hole

Features Provided:

Marker strip

Nonfeedthru Terminal Type:

871 single

Nonfeedthru Terminal Quantity:

5 single

Terminal Pattern Arrangement:

Multi-row

Terminal Design:

Nonfeedthru

Special Features:

Tb1, ti 6850.13, instruction book, visual approach slope indicator system (vasi-4), pg 8-3, sepc0 div

Material:

Plastic board

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A011b0