NSN 5940-01-048-6100

Feedthru Terminal - Page 1 of 2

Nickel mounting facility single layer



View Online at https://aerobasegroup.com/nsn/5940-01-048-6100

| Width Across Flats: |
|--|
| 0.375 inches |
| Overall Height: |
| 1.000 inches |
| Largest Diameter: |
| 0.052 inches all ends |
| Turret Minor Diameter: |
| 0.035 inches all ends |
| Electrical Insulation Feature: |
| Standoff insulation |
| Mounting Method Style: |
| Stud |
| Mounting Thread Diameter: |
| 0.250 inches |
| Identification Code Color: |
| White |
| Thread Length: |
| 0.250 inches |
| Basic Shape Style: |
| Nontubular hex |
| Mounting Thread Series: |
| Unf |
| Criticality Code Justification: |
| Feat |
| Conductor Accommodation Type: |
| Double turret all ends |
| First End Terminal Length: |
| 0.281 inches |
| Second End Terminal Length: |
| 0.281 inches |
| Special Features: |
| Special requirements for nuclear propulsion plant equipment contained in individual repair parts ordering data instrumentation control no. |
| Ac0066a, line no. 0101 |
| Material: |
| Plastic phenolic insulation |
| Precious Material And Location: |
| Conductor accommodation silver |
| Precious Material And Weight: |
| 0.040 silver grains, troy |
| Precious Material: |
| Silver |
| Surface Treatment: |

NSN 5940-01-048-6100

Feedthru Terminal - Page 2 of 2



| Reference | Number | Differentiating | Characteristics: |
|-----------|----------|------------------|---------------------|
| | MUIIINEI | Dillelelluatilly | Cital actel istics. |

As differentiated by special features

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A006b0