

View Online at <https://aerobasegroup.com/nsn/5940-01-068-0496>

**Dielectric Withstanding Voltage In Volts:**

1100.0

**Body Style:**

Barrier type

**Center To Center Distance Between Terminals:**

0.375 inches

**Board Construction:**

Solid construction

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.125 inches

**Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:**

0.281 inches

**Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:**

0.226 inches

**Boardlength:**

1.578 inches

**Boardwidth:**

0.562 inches

**Boardheight:**

1.000 inches

**Board Height Excluding Terminals:**

0.780 inches

**Base Thickness:**

0.312 inches

**Current Rating In Amps:**

15.0

**Mounting Facility Type And Quantity:**

2 friction

**Feedthru Connection End Type:**

857 fourth combination first combination

**Feedthru Terminal Quantity:**

4 single combination

**Terminal Pattern Arrangement:**

Single row

**Terminal Design:**

Vertical feedthru

**Special Features:**

Speed nuts 2 furnished per terminal board stainless steel (1/2 hard)

**Material:**

Plastic phenolic board

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A011b0