NSN 5940-01-076-7639

Terminal Board - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5940-01-076-7639

| Mounting Hole Diameter: |
|---|
| 0.190 inches |
| Dielectric Withstanding Voltage In Volts: |
| 5500.0 |
| Body Style: |
| Barrier type |
| Terminal Row Quantity: |
| 1 |
| Center To Center Distance Between Terminals: |
| 0.437 inches |
| Board Construction: |
| Solid construction |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.906 inches |
| Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: |
| 0.359 inches |
| Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: |
| 0.187 inches |
| Boardlength: |
| 4.250 inches |
| Boardwidth: |
| 0.719 inches |
| Boardheight: |
| 0.531 inches |
| Board Height Excluding Terminals: |
| 0.531 inches |
| Base Thickness: |
| 0.312 inches |
| Current Rating In Amps: |
| 20.0 |
| Mounting Facility Type And Quantity: |
| 2 unthreaded hole |
| Nonfeedthru Terminal Type: |
| 858 single |
| Nonfeedthru Terminal Quantity: |
| 8 single |
| Terminal Pattern Arrangement: |
| Single row |
| Terminal Design: |
| Nonfeedthru |
| Material: |
| Steel terminals |
| |

NSN 5940-01-076-7639

Terminal Board - Page 2 of 2

Surface Treatment:

Nickel terminals

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A011b0

