NSN 5940-01-092-4232

Terminal Board - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5940-01-092-4232

Mounting Hole Diameter: 0.175 inches Dielectric Withstanding Voltage In Volts: 1100.0 Body Style: Barrier type Terminal Row Quantity: 1 Center To Center Distance Between Terminals: 0.437 inches Board Construction: Hollow construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Bottom Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 5.125 inches Boardleight: 0.687 inches Boardleight: 0.550 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches 20.0 Mounting Facility Type And Quantity: 21 unfreadthul Terminal Quantity: 20.0 Monfeedthuu Terminal Quantity: 10 single Cerminal Pattern Arrangement:		
Dielectric Withstanding Voltage In Volts: 1100.0 Body Style: Barrier type Terminal Row Quantity: 1 Center To Center Distance Between Terminals: 0.437 inches Board Construction Hollow construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Boardlength: 0.150 inches Boardlength: 0.301 inches Board Hole Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 0.302 single Nonfeedthru Terminal Quantity: 10 single Terminal Pasign: Nonfeedthru Internial Pasign: Nonfeedthru Internial Pasign: Nonfeedthru Hole Nonfeedthru Hole Nonfee	Mounting Hole Diameter:	
100.0 Body Style: Barrier type Terminal Row Quantity: 1 Center To Center Distance Between Terminals: 0.437 inches Board Construction Hollow construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 0.156 inches Boardlength: 0.156 inches Boardwidth: 0.857 inches Boardwidth: 0.857 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Boardwight: 0.320 Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 632 single Nonfeedthru Terminal Quantity: 10 single Terminal Posign: No		
Barrier type Barrier type Terminal Row Quantity: 1 Center To Center Distance Between Terminals: 0.437 inches Board Construction Hollow construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Boardlength: 0.125 inches Boarddength: 0.126 inches Boardlength: 0.687 inches Boardlength: 0.687 inches Boardheight: 0.687 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 2.00 Monting Facility Type And Quantity: 12 single Norfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	Dielectric Withstanding Voltage In Volts:	
Barrier type Terminal Row Quantity: 1 Center To Center Distance Between Terminals: 0.437 inches Board Construction: Hollw construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facilities 0.156 inches Boardlength: 0.156 inches Boardwidth: 0.687 inches Boardwidth: 0.687 inches Boardwight: 0.658 inches Boardwight: 0.659 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches During Facility Type And Quantity: 2 unthreaded hole Norfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design:	1100.0	
Terminal Row Quantity: 1 Center To Center Distance Between Terminals: 0.437 inches Board Construction: Hollow construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 5.125 inches Boardwidth: 0.687 inches Boardheight: 0.655 inches Boardheight 0.650 inches Base Thickness: 0.312 inches Base Thickness:	Body Style:	
1 Center To Center Distance Between Terminals: 0.437 inches Board Construction Hollow construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 0.156 inches Boardwidth: 0.687 inches Boardwidth: 0.687 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Monfeedthru Terminal Type: 20.0 Monfeedthru Terminal Type: 20.1 Single row Monfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Height Excluding Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row <td>Barrier type</td> <td></td>	Barrier type	
Center To Center Distance Between Terminals: 0.437 inches Board Construction: Hollow construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Boardlength: 0.155 inches Boardlength: 0.125 inches Boardlength: 0.687 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Monfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	Terminal Row Quantity:	
0.437 inches Board Construction Hollow construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 5.125 inches Boardwidth: 0.687 inches Boardheight: 0.687 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Norfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru Nonfeedthru	1	
Board Construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 5.125 inches Boardwidth: 0.687 inches Boardheight: 0.685 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Distance Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Norfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Norfeedthru Monfeedthru	Center To Center Distance Between Terminals:	
Hollow construction without insulated strip Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 5.125 inches Boardwidth: 0.687 inches Boardheight: 0.687 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Norfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Norfeedthru Monfeedthru Monfeedthru Materiai:	0.437 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length: 4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 5.125 inches Boardwidth: 0.687 inches Boardheight: 0.655 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Norfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	Board Construction:	
4.812 inches Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 5.125 inches Boardwidth: 0.687 inches Boardwidth: 0.687 inches Boardwight: 0.687 inches Boardwight: 0.687 inches Boardwight: 0.687 inches Boardwight: 0.655 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 20.0 Monfeedthru Terminal Type: 20.1 Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	Hollow construction without insulated strip	
Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: 0.156 inches Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 0.156 inches Boardwidth: 0.687 inches Boardheight: 0.687 inches Boardheight Excluding Terminals: 0.655 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Norfeedthru Terminal Type: 692 single Norfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Norfeedthru Monfeedthru	Center To Center Distance Between Mounting Facilities Parallel To Length:	
0.156 inchesDistance From Left Edge Of Terminal Board To Center Of First Mounting Facility:0.156 inchesBoardlength:5.125 inchesBoardwidth:0.687 inchesBoardheight:0.655 inchesBoard Height Excluding Terminals:0.500 inchesBase Thickness:0.312 inchesCurrent Rating In Amps:20.0Mounting Facility Type And Quantity:2 unthreaded holeNonfeedthru Terminal Quantity:10 singleTerminal Pattern Arrangement:Single rowTerminal Design:NonfeedthruKertaitNonfeedthruFerninal Design:NonfeedthruMetrial:	4.812 inches	
Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: 0.156 inches Boardlength: 5.125 inches Boardwidth: 0.687 inches Boardheight: 0.687 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:	
0.156 inchesBoardlength:5.125 inchesBoardwidth:0.687 inchesBoardheight:0.655 inchesBoard Height Excluding Terminals:0.500 inchesBase Thickness:0.312 inchesCurrent Rating In Amps:20.0Mounting Facility Type And Quantity:2 unthreaded holeNonfeedthru Terminal Type:692 singleNonfeedthru Terminal Quantity:10 singleTerminal Pattern Arrangement:Single rowTerminal Design:NonfeedthruKonfeedthru<	0.156 inches	
Beardlength:5.125 inchesBoardwidth:0.687 inchesBoardheight:0.685 inchesBoard Height Excluding Terminals:0.500 inchesBase Thickness:0.500 inchesBase Thickness:0.312 inchesCurrent Rating In Amps:20.0Mounting Facility Type And Quantity:20.0Nonfeedthru Terminal Type:692 singleNonfeedthru Terminal Quantity:10 singleFerminal Pattern Arrangement:Single rowTerminal Design:NonfeedthruKonfeedthruHerminal Design:NonfeedthruKonfeedthru<	Distance From Left Edge Of Terminal Board To Center Of First Mounting Facilit	y:
5.125 inches Boardwidth: 0.687 inches Boardheight: 0.685 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Kourting Facility Type And Quantity: 20.0 Mounting Facility Type And Quantity	0.156 inches	
Boardwidth:0.687 inchesBoardheight:0.655 inchesBoard Height Excluding Terminals:0.500 inchesBase Thickness:0.312 inchesCurrent Rating In Amps:20.0Mounting Facility Type And Quantity:2 unthreaded holeNonfeedthru Terminal Type:692 singleCurrent Pattern Arrangement:Single rowTerminal Design:NonfeedthruKonfeedthru <td>Boardlength:</td> <td></td>	Boardlength:	
0.687 inches Boardheight: 0.655 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 2.0.0 Mounting Facility Type And Quantity: 2.0.0 Mounting Facility Type And Quantity: 2.0.0 Mounting Facility Type And Quantity: 2.0.0 Monfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Cirminal Pattern Arrangement: Single row Single row Ferminal Design: Nonfeedthru	5.125 inches	
Boardheight: 0.655 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru Muterial:	Boardwidth:	
0.655 inches Board Height Excluding Terminals: 0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	0.687 inches	
Board Height Excluding Terminals:0.500 inchesBase Thickness:0.312 inchesCurrent Rating In Amps:20.0Mounting Facility Type And Quantity:2 unthreaded holeNonfeedthru Terminal Type:692 singleNonfeedthru Terminal Quantity:10 singleTerminal Pattern Arrangement:Single rowTerminal Design:NonfeedthruMonfeedthruMaterial:	Boardheight:	
0.500 inches Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	0.655 inches	
Base Thickness: 0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	Board Height Excluding Terminals:	
0.312 inches Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	0.500 inches	
Current Rating In Amps: 20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	Base Thickness:	
20.0 Mounting Facility Type And Quantity: 2 unthreaded hole Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	0.312 inches	
Mounting Facility Type And Quantity:2 unthreaded holeNonfeedthru Terminal Type:692 singleNonfeedthru Terminal Quantity:10 singleTerminal Pattern Arrangement:Single rowTerminal Design:NonfeedthruMonfeedthru	Current Rating In Amps:	
2 unthreaded hole Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru	20.0	
Nonfeedthru Terminal Type: 692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru Material:	Mounting Facility Type And Quantity:	
692 single Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru Material:	2 unthreaded hole	
Nonfeedthru Terminal Quantity: 10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru Material:	Nonfeedthru Terminal Type:	
10 single Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru Material:	692 single	
Terminal Pattern Arrangement: Single row Terminal Design: Nonfeedthru Material:	Nonfeedthru Terminal Quantity:	
Single row Terminal Design: Nonfeedthru Material:	10 single	
Terminal Design: Nonfeedthru Material:	Terminal Pattern Arrangement:	
Nonfeedthru Material:	Single row	
Material:	Terminal Design:	
	Nonfeedthru	
Plastic phenolic board	Material:	
	Plastic phenolic board	

NSN 5940-01-092-4232

Terminal Board - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A011b0

