## NSN 5940-01-098-2397



Radio Frequency Grounding Contact Strip - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5940-01-098-2397 **Overall Width:** Between 0.432 inches and 0.442 inches **Overall Thickness:** Between 0.0186 inches and 0.0216 inches **End Application:** 5826-01-015-0839 **Mounting Configuration:** Crimp loop has 0.050 porm 0.003 in. Inside radius; hole 0.187 in. From end has 0.092 in. Min, 0.095 in. Maximum diameter and a slot 0.040 in. Min, 0.046 in. Maximum w, which lines up with hole **Unit Type:** Angle **Mounting Method:** Crimp and hole **Contact Finger Quantity: Criticality Code Justification:** Adum Material: Beryllium copper, qq-c-533, comp a Material: Copper alloy 170 or copper alloy 172 **Material Specification:** Qq-c-533, comp a federal specification single material response **Precious Material And Location:** All surfaces silver **Precious Material:** Silver **Surface Treatment:** Silver **Surface Treatment:** Silver plated **Fsc Application Data:** Receiver-transmitter, radio Shelf Life: N/a **Unit Of Measure: Demilitarization:** Yes - demil/mli

Fiig:

T174-b