NSN 5940-01-129-5536

Terminal Board - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5940-01-129-5536

Mounting Hole Diameter: 0.170 inches Dielectric Withstanding Voltage In Volts: 1100.0 Body Style: Barrier type Terminal Row Quantity: 1
Dielectric Withstanding Voltage In Volts: 1100.0 Body Style: Barrier type Terminal Row Quantity: 1
1100.0 Body Style: Barrier type Terminal Row Quantity:
Body Style: Barrier type Terminal Row Quantity:
Barrier type Terminal Row Quantity: 1
Terminal Row Quantity:
1
Center To Center Distance Between Terminals:
0.375 inches
Board Construction:
Solid construction
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.125 inches
Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:
0.281 inches
Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:
0.140 inches
Boardlength:
1.406 inches
Boardwidth:
0.562 inches
Boardheight:
0.766 inches
Board Height Excluding Terminals:
0.406 inches
Base Thickness:
0.250 inches
Current Rating In Amps:
15.0
Mounting Facility Type And Quantity:
2 unthreaded hole
Nonfeedthru Terminal Type:
857 first
Nonfeedthru Terminal Quantity:
2 second
Terminal Pattern Arrangement:
Single row
Terminal Design:
Nonfeedthru
Material:

Plastic melamine board and silica board

NSN 5940-01-129-5536

Terminal Board - Page 2 of 2



Material	Specif	ication:

Mil-m-14, type mme military specification single material response board

Surface Treatment:

Nickel terminals and tin terminals

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A011b0

Mil-std (military Standard):

Mil-m-14 spec.