

View Online at <https://aerobasegroup.com/nsn/5940-01-287-8013>

Dielectric Withstanding Voltage In Volts:

600.0

Body Style:

Barrier type

Mounting Slot Length:

0.375 inches

Mounting Slot Width:

0.219 inches

Terminal Row Quantity:

2

Center To Center Distance Between Terminals:

1.156 inches

Distance Between Terminal Row Centers:

1.000 inches

Board Construction:

Hollow construction without insulated strip

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.656 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.500 inches

Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:

0.750 inches

Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:

0.250 inches

Boardlength:

6.156 inches

Boardwidth:

2.500 inches

Boardheight:

1.875 inches

Board Height Excluding Terminals:

1.875 inches

Base Thickness:

0.625 inches

Current Rating In Amps:

125.0

Mounting Facility Type And Quantity:

6 slot

Nonfeedthru Terminal Type:

604 single

Nonfeedthru Terminal Quantity:

8 single

Terminal Pattern Arrangement:

Multi-row

Terminal Design:

Nonfeedthru

Material:

Plastic phenolic board

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A011b0