

View Online at <https://aerobasegroup.com/nsn/5940-01-469-9227>

Mounting Hole Diameter:

0.120 inches

Dielectric Withstanding Voltage In Volts:

300.0

Body Style:

Barrier type

Center To Center Distance Between Terminals:

0.375 inches

Board Construction:

Solid construction

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.625 inches

Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:

0.312 inches

Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:

0.225 inches

Boardlength:

3.075 inches

Boardwidth:

0.625 inches

Boardheight:

0.750 inches

Board Height Excluding Terminals:

12.1 millimeters

Base Thickness:

11.4 millimeters

End Application:

Power supply, used on wasp class lhd

Current Rating In Amps:

20.0

Mounting Facility Type And Quantity:

2 unthreaded hole

Terminal Pattern Arrangement:

Single row

Special Features:

Continuous use temp (ul index) 115 degrees c

Material:

Plastic polypropylene board

Surface Treatment:

Tin terminals

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A011b0