

View Online at <https://aerobasegroup.com/nsn/5940-01-470-2875>

**Mounting Hole Diameter:**

0.174 inches

**Dielectric Withstanding Voltage In Volts:**

7500.0

**Body Style:**

Barrier type

**Terminal Row Quantity:**

2

**Center To Center Distance Between Terminals:**

0.440 inches

**Distance Between Terminal Row Centers:**

0.422 inches

**Board Construction:**

Solid construction

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.187 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.422 inches

**Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:**

0.229 inches

**Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:**

0.156 inches

**Boardlength:**

2.500 inches

**Boardwidth:**

1.130 inches

**Boardheight:**

0.550 inches

**Board Height Excluding Terminals:**

0.350 inches

**Base Thickness:**

0.310 inches

**End Application:**

6115-01-462-0291

**Current Rating In Amps:**

20.0

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Terminal Pattern Arrangement:**

Multi-row

**Special Features:**

Voltage rating, rms 300 max; temperature rating, -65 degrees f to 185 degrees f

**Material:**

Plastic phenolic board

**Surface Treatment:**

Nickel terminals

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A011b0