

View Online at <https://aerobasegroup.com/nsn/5940-01-523-9427>

Mounting Hole Diameter:

0.210 inches

Dielectric Withstanding Voltage In Volts:

600.0

Body Style:

Barrier type

Center To Center Distance Between Terminals:

0.570 inches

Board Construction:

Solid construction

Terminal Facility Quantity:

6

Single Feedthru Receptacle Quantity:

6

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.940 inches

Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:

0.210 inches

Boardlength:

4.340 inches

Boardwidth:

0.750 inches

Boardheight:

1.160 inches

Board Height Excluding Terminals:

0.720 inches

Base Thickness:

0.410 inches

Current Rating In Amps:

30.0

Mounting Facility Type And Quantity:

2 unthreaded hole

Feedthru Connection End Type:

513 both ends single combination

Feedthru Terminal Quantity:

6 single combination

Terminal Pattern Arrangement:

Single row

Terminal Design:

Feedthru

Product Name:

Single row terminal block

Special Features:

Furnished with 0.164-32 binder head, phil-slot screws; acceptable wire size is no. 12 awg to no. 14 awg

Material:

Plastic phenolic board

Surface Treatment:

Copper alloy terminals

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A011b0