NSN 5940-01-524-4266

Terminal Board - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5940-01-524-4266 |
|--|
| Mounting Hole Diameter: |
| 0.156 inches |
| Body Style: |
| Strip type |
| Terminal Row Quantity: |
| 6 |
| Center To Center Distance Between Terminals: |
| 0.313 inches |
| Distance Between Terminal Row Centers: |
| 0.037 inches |
| Board Construction: |
| Solid construction |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 4.500 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 3.000 inches |
| Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole: |
| 0.250 inches |
| Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility: |
| 0.250 inches |
| Boardlength: |
| 5.000 inches |
| Boardwidth: |
| 3.500 inches |
| Board Thickness: |
| 0.090 inches |
| End Application: |
| Stabilator/sas test |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Terminal Pattern Arrangement: |
| Multi-row |
| Product Name: |
| Component board, stabilator/sas test unit |
| Special Features: |
| 6 rows of terminals, centered: 0.380, 1.380, 1.750, 2.750. 2.750, 3.120 and 4.120 inches above bottom mounting holes |
| Special Markings: |
| With short end up, on front: "r designation" centered on top edge and numerals from 1 to 9 in ascending order from left to right above top |
| row of terminals and "a4" centered on bottom edge; on back: "terminal desig" centered on top edge and numerals from 9 to 1 in descending |
| order from left to right above the top row of terminals |
| Material: |
| Plastic epoxy board and glass fiber board |
| Material Specification: |

Mil-p-18177. Type gee military specification single material response board

NSN 5940-01-524-4266

Terminal Board - Page 2 of 2



| N/a | |
|-------------------|--|
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| No | |
| Fiig: | |
| A011b0 | |

Mil-std (military Standard):

Mil-p-18177 spec.

Shelf Life: