

View Online at <https://aerobasegroup.com/nsn/5940-01-527-5619>

Body Style:

Barrier type

Terminal Row Quantity:

2

Center To Center Distance Between Terminals:

2.250 inches

Distance Between Terminal Row Centers:

0.640 inches

Board Construction:

Solid construction

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.640 inches

Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:

1.435 inches

Distance From Left Edge Of Terminal Board To Center Of First Mounting Facility:

0.650 inches

Boardlength:

1.940 inches

Boardwidth:

2.870 inches

Boardheight:

1.780 inches

Board Height Excluding Terminals:

0.890 inches

Base Thickness:

0.620 inches

Err Default:

Err default

End Application:

Awg9 otps

Current Rating In Amps:

200.0

Mounting Facility Type And Quantity:

2 threaded stud

Mounting Facility Thread Series Designator:

Unc

Mounting Facility Thready Qty Per Inch (tpi):

20

Terminal Connecting Link Quantity:

2 single

Terminal Connecting Link Type:

11 single

Nonfeedthru Terminal Quantity:

4 single

Mounting Facility Thread Diameter:

0.250 inches

Terminal Pattern Arrangement:

Multi-row

Terminal Design:

Linked nonfeedthru

Product Name:

Power stud block

Special Features:

2 pole, terminal board

Material:

Plastic phenolic board

Surface Treatment:

Tin terminals

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A011b0