

View Online at <https://aerobasegroup.com/nsn/5940-01-528-9275>

Mounting Hole Diameter:

0.174 inches

Dielectric Withstanding Voltage In Volts:

7500.0

Body Style:

Barrier type

Terminal Row Quantity:

2

Center To Center Distance Between Terminals:

0.438 inches

Distance Between Terminal Row Centers:

0.420 inches

Board Construction:

Solid construction

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.937 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.420 inches

Boardlength:

4.250 inches

Boardwidth:

1.125 inches

Boardheight:

0.550 inches

Board Height Excluding Terminals:

0.550 inches

Base Thickness:

0.350 inches

End Application:

Marcom switch drawer, marcom ivcs

Current Rating In Amps:

20.0

Mounting Facility Type And Quantity:

4 unthreaded hole

Feedthru Connection End Type:

857 both ends single combination

Feedthru Terminal Quantity:

8 single combination

Terminal Pattern Arrangement:

Multi-row

Terminal Design:

Feedthru

Product Name:

Series 3300, 7/16 in. Centers double row terminal block

Special Features:

Voltage: 300 volts; wire size: 16-14 awg; screw type: 6/32 steel combo head (phillip/slot); ul flame retardant rating: 94v-0

Material:

Plastic board

Surface Treatment:

Nickel terminals

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A011b0