

View Online at <https://aerobasegroup.com/nsn/5940-01-654-5156>

Mounting Hole Diameter:

0.228 inches

Dielectric Withstanding Voltage In Volts:

4000.0

Body Style:

Barrier type

Terminal Row Quantity:

20

Center To Center Distance Between Terminals:

0.500 inches

Distance Between Terminal Row Centers:

0.562 inches

Board Construction:

Solid construction

Terminal Facility Quantity:

40

Center To Center Distance Between Mounting Facilities Parallel To Length:

11.827 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.500 inches

Distance From Bottom Edge Of Terminal Board To Center Of Mounting Hole:

0.406 inches

Boardlength:

12.265 inches

Boardwidth:

1.312 inches

Boardheight:

0.703 inches

Board Height Excluding Terminals:

0.703 inches

Base Thickness:

0.453 inches

End Application:

Mk32 svtt

Current Rating In Amps:

30.0

Mounting Facility Type And Quantity:

4 unthreaded hole

Terminal Pattern Arrangement:

Multi-row

Special Features:

Has screw type terminals.

Material:

Plastic board

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A011b0